



Blinds with people in mind

PALETTE

Vertical And Roller Blind Fabric Specification

PALETTE

Vertical And Roller Blind Fabric Specification

KEY FEATURES:

- Fabric composition:** 100% Polyester
- Fire retardancy:** EN 13773 : 2003 Class 1; BS5867 - 2, Type B : 2008 for fire retardancy when tested in accordance with BS5438 : 1989
- Shading:** Standard – Suitable for computer environments
- Moisture resistance:** Acticide coated – Suitable for moist conditions

STANDARD SPECIFICATIONS:

- Colour range:** 50
- Louvre widths available:** 89mm (3½"); 127mm (5")
- Roller blind width:** 200cm (78.5"): nominal
- Typical fabric weight:** 265gsm (+/-10)
- Fabric thickness:** 0.35mm – nominal
- Colourfast:** Conforms to BS5867 - 1 : 2004 for light fastness to Grade 6 minimum when tested in accordance with ISO 105 - B02 : 1999
- Care instructions:** Wipe with damp sponge; Do not wash; Do not tumble dry; Do not dry clean; Do not iron

COLOUR	HEAT		LIGHT		S-C
	T	R	T	R	
Atlantic Blue	7	29	0	9	0.63
Barley	15	53	5	41	0.43
Beige	17	62	15	70	0.35
Black	0	5	0	6	0.83
Blue	13	51	4	40	0.44
Blue Grass	10	46	2	34	0.48
Blush	13	45	3	19	0.49
Burnt Orange	15	60	11	62	0.37
Calico	20	67	19	75	0.31
Candy Pink	14	52	7	48	0.43
Concrete	1	18	0	18	0.71
Copper	9	35	0	11	0.58
Cream	19	65	17	73	0.33
Dark Blue	0	5	0	6	0.82
Denim	4	30	0	20	0.61
Espresso	0	6	0	6	0.82
Fern	7	42	3	43	0.51
Fresh Apple	13	59	10	63	0.37
Fudge	1	16	0	15	0.73
Glacier Blue	7	29	0	9	0.66
Green	7	41	3	41	0.52
Hessian	13	59	10	57	0.37
Iris	1	15	0	9	0.74
Iron	10	51	7	54	0.44
Kingfisher	13	45	5	31	0.50

COLOUR	HEAT		LIGHT		S-C
	T	R	T	R	
Kiwi	13	44	10	47	0.50
Lemon	16	60	10	57	0.37
Lime Green	9	45	3	42	0.49
Magnolia	13	59	10	63	0.37
Mandarin	16	47	4	24	0.48
Muted Gold	10	46	3	40	0.48
Olive Haze	9	45	3	42	0.49
Plum	1	19	0	11	0.71
Raspberry Mist	14	58	5	48	0.38
Redcurrant	13	45	1	16	0.49
Roasted Red	14	55	5	41	0.41
Rosebud	14	55	10	60	0.41
Sand	7	42	3	43	0.51
Scarlet	13	40	2	15	0.54
Sea Blue	14	52	7	48	0.43
Sky	16	60	10	57	0.37
Smokey Blue	14	58	10	60	0.38
Soft Pink	19	65	17	73	0.33
Soft Truffle	7	42	3	43	0.51
Spring	10	50	8	54	0.45
Stone Grey	10	51	7	54	0.44
Sunflower	18	58	17	67	0.39
Teal	10	46	2	34	0.48
Violet	14	58	5	48	0.38
White	21	69	20	78	0.30

T = % Transmitted : R = % Reflected : S-C = Shading Co-efficient. Shading Co-efficients are expressed as a decimal between 0 and 1. The lower the figure, the higher the shading efficiency of the blind.

This data is based on:
Tests conducted using double glazed 6mm float glass with 12mm air space. Blinds are fully closed.

Shading Co-efficients are calculated for radiation at normal incidence. Standard U value is 2.75 W/M 2k = 0.49Btu/ft2hx°F.

Important: Performance data has been compiled with great care using the latest techniques. However, it is advisable to check actual suitability of fabrics for a particular application before use.

In line with our commitment to product development, specifications may be subject to change without notice.




PALETTE


Vertical And Roller Blind Fabric Specification




Atlantic Blue




Barley



Beige




Espresso




Fern




Fresh Apple




Raspberry Mist




Redcurrant



Roasted Red




Black



Blue




Blue Grass



Fudge




Glacier Blue



Green



Rosebud




Sand




Scarlet




Blush



Burnt Orange




Calico



Hessian




Iris




Iron



Sea Blue



Sky



Smokey Blue



Candy Pink




Concrete



Copper



Kingfisher




Kiwi




Lemon




Soft Pink




Soft Truffle




Spring



Cream




Dark Blue



Denim



Lime Green



Magnolia



Mandarin



Stone Grey



Sunflower



Teal




Muted Gold




Olive Haze



Plum



Violet



White

